

PRODUCT INFORMATION

Temporary Strainers



SIZES: 2" TO 24"
RATING: ANSI 150 TO 2500 LBS
FABRICATED BODY - FLANGED COVER

Prosep Temporary strainers offer the first choice where the highest performance and quantity requirements are important. These strainers are in operation in more than 30 countries in exacting applications including many North Sea Offshore platforms.

AVAILABLE MATERIALS

*Carbon steel, stainless steels, and special alloys


DESIGN

Prosep Temporary strainers are designed to provide inexpensive protection for costly pumps, meters, valves and other equipment during commissioning and start up..They are also used post UV on sensitive applications such as swimming pools to prevent broken glass entering the swimmingpool should any of the glass components in the UV shatter.

*Special units to customers designs are available on request *For sizes and pressure ratings not shown contact our sales office

MANUFACTURING

*The quality standard of the strainers is guaranteed by a Quality Assurance and Control system to ISO9002



N	B	1"	1 1/2"	2"	3"	4"	6"	8"	10"	12"	14"	16"	18"	20"	24"
A1	150	63	79	98	130	168	215	273	333	403	444	508	542	600	711
	300	69	88	104	142	174	244	301	355	415	479	533	590	647	768
	600	69	88	104	142	187	260	314	393	450	485	558	606	676	784
	RTJ	42	60	71	112	138	200	258	312	369	408	458	522	571	676
A2		22	31	44	67	88	139	181	228	276	320	368	415	466	568
A3		12	19	31	50	63	101	142	184	225	257	290	342	381	457
B	Conical 150%	38	101	114	165	215	330	431	533	635	AVAILABLE ON SPECIAL REQUEST ONLY				
	Conical 200%	50	139	152	228	292	431	584	685	825					
B	Basket 150%	38	63	83	88	114	165	215	254	304	330	355	381	431	508
	Basket 200%	50	88	88	114	152	228	304	355	419	431	482	533	609	711
K	G	0.5	0.75	0.75	1	1	2	4	6	7	8	10	14	20	26

Prosep Filter Systems Ltd
Unit G19, River Bank Way,
Lowfields Business Park, Elland,
West Yorkshire HX5 9DN

Phone: 01422 377367
Fax: 01422 377369
email: sales@prosep.co.uk
www.prosep.co.uk

for all your filter requirements